



KISA KABATALAŞ FREZE DIN 844 NR

D	l	L	d h6	Z
4	13	57	6	4
5	13	57	6	4
6	13	57	6	4
7	16	66	10	4
8	19	69	10	4
9	19	69	10	4
10	22	72	10	4
11	22	79	12	4
12	26	83	12	4
13	26	83	12	4
14	26	83	12	4
15	26	83	12	4
16	32	92	16	4
17	32	92	16	4
18	32	92	16	4
19	38	104	20	4
20	38	104	20	4
22	38	104	20	4
24	45	121	25	4
25	45	121	25	4
26	45	121	25	4
28	45	121	25	4
30	45	121	25	4
32	53	133	32	4
36	53	133	32	4
40	63	143	32	4

TEKNİK ÖZELLİKLERİ



Düşük ve orta dayanımlı malzemelerin (700 MPa'a kadar) kaba operasyonları için kullanılır
Yüzey kalitesi Ra 12,5 ve daha yüksek



Yüksek hız çeliği

KULLANIM ALANI

- Alaşımsız çelikler (180 HB)
- Yapı çelikleri (Sertlik:24 Hrc)
- Sementasyon nitrasyon çelikleri (Sertlik:27,1 Hrc)
- Dökme demir (Max.240 HB)
- Korozyona ve asite dayanıklı çelikler (Sertlik:24,8 Hrc)