



UZUN KABATALAŞ FREZE DIN 844 NR

D	l	L	d h6	Z
6	24	68	6	4
7	24	68	6	4
8	38	88	10	4
9	45	88	10	4
10	45	95	10	4
11	53	95	10	4
12	53	110	12	4
13	53	110	12	4
14	53	110	12	4
16	63	123	16	4
17	63	123	16	4
18	63	123	16	4
20	75	141	20	4
22	75	141	20	4
24	90	166	25	4
25	90	166	25	4
26	90	166	25	4
28	90	166	25	4
30	90	166	25	4
32	106	186	32	4
36	106	186	32	4
40	125	186	32	4

TEKNİK ÖZELLİKLERİ



Düşük ve orta dayanımlı malzemelerin (700 MPa'a kadar) kaba operasyonları için kullanılır
Yüzey kalitesi Ra 12,5 ve daha yüksek



Yüksek hız çeliği

KULLANIM ALANI

- Alaşımsız çelikler (180 HB)
- Yapı çelikleri (Sertlik:24 Hrc)
- Sementasyon nitrasyon çelikleri (Sertlik:27,1 Hrc)
- Dökme demir (Max.240 HB)