



KÖŞE YUVARLAMA FREZE DIN 6518

| R<br>H11 | D   | L   | d<br>h6 | Z |
|----------|-----|-----|---------|---|
| 1        | 8   | 60  | 10      | 4 |
| 1,5      | 9   | 60  | 10      | 4 |
| 1,6      | 9,2 | 60  | 10      | 4 |
| 2        | 10  | 60  | 10      | 4 |
| 2,5      | 11  | 60  | 10      | 4 |
| 3        | 12  | 60  | 12      | 4 |
| 3,5      | 13  | 60  | 12      | 4 |
| 4        | 14  | 60  | 12      | 4 |
| 4,5      | 15  | 60  | 12      | 4 |
| 5        | 16  | 60  | 12      | 4 |
| 5,5      | 19  | 67  | 16      | 4 |
| 6        | 20  | 67  | 16      | 4 |
| 6,5      | 21  | 71  | 16      | 4 |
| 7        | 22  | 71  | 16      | 4 |
| 7,5      | 23  | 71  | 16      | 4 |
| 8        | 24  | 71  | 16      | 4 |
| 8,5      | 25  | 85  | 25      | 4 |
| 9        | 26  | 85  | 25      | 4 |
| 9,5      | 27  | 85  | 25      | 4 |
| 10       | 28  | 85  | 25      | 4 |
| 10,5     | 31  | 90  | 25      | 4 |
| 11       | 32  | 90  | 25      | 4 |
| 12       | 34  | 90  | 25      | 4 |
| 12,5     | 41  | 100 | 25      | 6 |
| 13       | 42  | 100 | 25      | 6 |
| 14       | 44  | 100 | 25      | 6 |
| 15       | 46  | 100 | 25      | 6 |
| 16       | 48  | 100 | 25      | 6 |
| 18       | 52  | 112 | 32      | 6 |
| 20       | 56  | 112 | 32      | 6 |



Yüksek hız çeliği  
%8 kobaltlı

## KULLANIM ALANI

- İmalat çelikleri
- Düşük alaşımlı çelikler
- Alüminyum ve alaşımları si<%12
- Krom-Nikel alaşımları<1500 N/mm²

**Not:** Yukarıdaki malzemelerin keskin köşelerine radyüs oluşturmak için kullanılır.